List webhook subscriptions

webhooks · https://cbotai.shahrear.msf.bd/docs/list-webhook-subscriptions/

GET `/webhooks`

Code Samples

```
curl --request GET \
  --url 'https://api.taskflow.example.com/v2/webhooks' \
  --header 'Authorization: Bearer YOUR_TOKEN'
```

```
const response = await fetch('https://api.taskflow.example.com/v2/webhooks', {
  method: 'GET',
  headers: {
    'Authorization': 'Bearer YOUR_TOKEN'
  }
});

const data = await response.json();
console.log(data);
```

```
import requests

headers = {
    "Authorization": "Bearer YOUR_TOKEN"
}

response = requests.get("https://api.taskflow.example.com/v2/webhooks", headers=headers)

print(response.json())
```

```
<?php
$curl = curl_init();

curl_setopt_array($curl, [
```

```
  CURLOPT_URL => 'https://api.taskflow.example.com/v2/webhooks',
  CURLOPT_RETURNTRANSFER => true,
  CURLOPT_CUSTOMREQUEST => 'GET',
  CURLOPT_HTTPHEADER => [
  'Authorization: Bearer YOUR_TOKEN'
  ],
]);

$response = curl_exec($curl);
curl_close($curl);

echo $response;
```

```
using System.Net.Http;

var client = new HttpClient();
var request = new HttpRequestMessage(new HttpMethod("GET"),
"https://api.taskflow.example.com/v2/webhooks");
request.Headers.Add("Authorization", "Bearer YOUR_TOKEN");
var response = await client.SendAsync(request);
var body = await response.Content.ReadAsStringAsync();
Console.WriteLine(body);
```

```
import java.net.URI;
import java.net.http.*;

HttpClient client = HttpClient.newHttpClient();
HttpRequest request = HttpRequest.newBuilder()
    .uri(URI.create("https://api.taskflow.example.com/v2/webhooks"))
    .header("Authorization", "Bearer YOUR_TOKEN")
    .method("GET", HttpRequest.BodyPublishers.noBody())
    .build();

HttpResponse<String> response = client.send(request, HttpResponse.BodyHandlers.ofString());
System.out.println(response.body());
```

Response


```
[
    {
        "id": "123e4567-e89b-12d3-a456-426614174000",
        "url": "https://example.com",
        "events": [
            "string"
        ]
    }
]
```


Responses

200 — Subscriptions

Field	Type	Required	Description
`[].id`	string (uuid)	Optional	
`[].url`	string (uri)	Optional	
`[].events`	array of string	Optional	


```
[
    {
        "id": "123e4567-e89b-12d3-a456-426614174000",
        "url": "https://example.com",
        "events": [
            "string"
        ]
    }
]
```